

## 施工サイズ組合せ表(例)

施工する壁面の巾を組み合わせにより5ミリの単位で設定することができます。

ニコラスボード1セットで施工できる巾寸法です。

カット専用板(60ミリ巾)は5ミリ間隔で裏面に溝加工を施してあります。

表はカット専用板を10ミリ単位でカットした場合の寸法です。


3mm目地の場合 仕上り寸法 (約)ミリ	目地巾 合計ミリ	板巾の合計	板巾の組合せ(例)							カット専用 板を切断後 の寸法
			30	60	90	120	150	180	210	
921	21	900	30	60	90	120	150	180	210	60
911	21	890	30	60	90	120	150	180	210	50
901	21	880	30	60	90	120	150	180	210	40
888	18	870		60	90	120	150	180	210	60
878	18	860		60	90	120	150	180	210	50
868	18	850		60	90	120	150	180	210	40
858	18	840	30		90	120	150	180	210	60
848	18	830	30		90	120	150	180	210	50
838	18	820	30		90	120	150	180	210	40
828	18	810	30	60		120	150	180	210	60
818	18	800	30	60		120	150	180	210	50
808	18	790	30	60		120	150	180	210	40
798	18	780	30	60	90		150	180	210	60
788	18	770	30	60	90		150	180	210	50
778	18	760	30	60	90		150	180	210	40
768	18	750	30	60	90	120		180	210	60
758	18	740	30	60	90	120		180	210	50
748	18	730	30	60	90	120		180	210	40
738	18	720	30	60	90	120	150		210	60
728	18	710	30	60	90	120	150		210	50
718	18	700	30	60	90	120	150		210	40
708	18	690	30	60	90	120	150	180		60
698	18	680	30	60	90	120	150	180		50
688	18	670	30	60	90	120	150	180		40
675	15	660		60	90	120	150	180		60
665	15	650		60	90	120	150	180		50
655	15	640		60	90	120	150	180		40
645	15	630	30		90	120	150	180		60
635	15	620	30		90	120	150	180		50
625	15	610	30		90	120	150	180		40
615	15	600	30	60		120	150	180		60
605	15	590	30	60		120	150	180		50
595	15	580	30	60		120	150	180		40
585	15	570	30	60	90		150	180		60
575	15	560	30	60	90		150	180		50
565	15	550	30	60	90		150	180		40
555	15	540	30	60	90	120		180		60
545	15	530	30	60	90	120		180		50
535	15	520	30	60	90	120		180		40

525	15	510	30	60	90	120	150			60
515	15	500	30	60	90	120	150			50
505	15	490	30	60	90	120	150			40
492	12	480		60	90	120	150			60
482	12	470		60	90	120	150			50
472	12	460		60	90	120	150			40
462	12	450	30		90	120	150			60
452	12	440	30		90	120	150			50
442	12	430	30		90	120	150			40
432	12	420	30	60		120	150			60
422	12	410	30	60		120	150			50
412	12	400	30	60		120	150			40
402	12	390	30	60	90		150			60
392	12	380	30	60	90		150			50
382	12	370	30	60	90		150			40
372	12	360	30	60	90	120				60
362	12	350	30	60	90	120				50
352	12	340	30	60	90	120				40
339	9	330		60	90	120				60
329	9	320		60	90	120				50
319	9	310		60	90	120				40
309	9	300	30		90	120				60
299	9	290	30		90	120				50
289	9	280	30		90	120				40
279	9	270	30	60		120				60
269	9	260	30	60		120				50
259	9	250	30	60		120				40
249	9	240	30	60	90					60
239	9	230	30	60	90					50
229	9	220	30	60	90					40
216	6	210		60	90					60
206	6	200		60	90					50
196	6	190		60	90					40
186	6	180	30		90					60
176	6	170	30		90					50
166	6	160	30		90					40
156	6	150	30	60						60
146	6	140	30	60						50
136	6	130	30	60						40
123	3	120		60						60
113	3	110		60						50
103	3	100		60						40
93	3	90	30							60
83	3	80	30							50
73	3	70	30							40

### 施工仕上がり寸法（例）

3ミリの目地で施工した場合の仕上がりは921ミリになります

30	60	90	120	150	180	210	60
----	----	----	-----	-----	-----	-----	----

 目地部分3mm